



## Imagine Series Specifications



Available in Dark Cherry Wood Veneer, Black Ash Wood Veneer, Walnut Wood Veneer, Gloss Black, or Gloss White.\*

\*Some finishes may not be available in all countries.

# Imagine Series



	Imagine T Tower	Imagine B Bookshelf	Imagine mini Bookshelf	Imagine C Centre	Imagine S Surround
<b>Frequency Range</b> (Anechoic Chamber)					
Response					
On Axis @ 0°±3dB	38-23,000Hz	52-23,000Hz	55-23,000Hz	52-23,000Hz	65-23,000Hz
On Axis @ 0°±1 1/2dB	42-20,000Hz	55-20,000Hz	65-20,000Hz	55-20,000Hz	68-20,000Hz
Off Axis @ 30°±1 1/2dB	42-10,000Hz	55-10,000Hz	65-10,000Hz	55-10,000Hz	68-10,000Hz
LF Cutoff -10dB	35Hz	48Hz	50Hz	46Hz	58Hz
<b>Sensitivity</b> (1W (2.83V) @ 1M, IEC-Filtered pink noise, C-weighted)					
Anechoic Chamber	88dB	87dB	85dB	87dB	87dB
Listening Room	90dB	89dB	87dB	89dB	89dB
<b>Impedance</b>					
Nominal	8 Ohms	8 Ohms	8 Ohms	8 Ohms	8 Ohms
Minimum	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms Bipole/Dipole
<b>Input Power</b> (RMS, Clipping <10% Time)					
Recommended Program	20 - 200 Watts 200 Watts	20 - 150 Watts 150 Watts	10 - 80 Watts 80 Watts	20 - 150 Watts 150 Watts	20 - 150 Watts 150 Watts
<b>Acoustic Design</b>					
Tweeter (Nominal)	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	2 x 1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet
Woofer (Nominal)	2 x 5 1/4" (133mm) Clay/Ceramic filled Polypropylene Cone, Rubber Surround	5 1/4" (133mm) Clay/Ceramic filled Polypropylene Cone, Rubber Surround	4" (102mm) Clay/Ceramic filled Polypropylene Cone, Rubber Surround	2 x 5 1/4" (133mm) Clay/Ceramic filled Polypropylene Cone, Rubber Surround	2 x 5 1/4" (133mm) Clay/Ceramic filled Polypropylene Cone, Rubber Surround
Crossover	1,800Hz, LR4, 800Hz	1,800Hz, LR4	2,200Hz, LR4	1,800Hz, LR4	2,000Hz, B3
Internal Volume	1.0 cu ft (29L)	0.27 cu ft (7.7L)	0.1 cu ft (3.1L)	0.54 cu ft (15.4L)	0.22 cu ft (6.2L)
Design Type	Dual Port Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex	Sealed
<b>Size (W x H x D)</b> (Gross Dimensions)					
	8 3/8 x 37 1/4 x 13 5/8" 210 x 945 x 346mm	7 1/2 x 12 7/8 x 12 1/8" 190 x 324 x 305mm	5 3/4 x 9 1/4 x 8 3/8" 143 x 234 x 212mm	20 5/8 x 7 1/2 x 13 5/8" 521 x 190 x 346mm	10 3/4 x 12 3/4 x 7 1/8" 273 x 321 x 178mm
<b>Weight</b>					
Net	40.6lb (18.5kg)/each	17.2lb (7.8kg)/each	6.5lb (3kg)/each	26.8lb (12.2kg)/each	16.3lb (7.4kg)/each
Shipping	47.8lb (21.7kg)/each	38lb (17.3kg)/pair	15.5lb (7kg)/each	30lb (13.6kg)/each	37lb (16.8kg)/pair
<b>Finish</b>					
	Black Ash, Dark Cherry, Walnut Wood Veneer, Gloss Black, or Gloss White*	Black Ash, Dark Cherry, Walnut Wood Veneer, Gloss Black, or Gloss White*	Black Ash, Dark Cherry, Walnut Wood Veneer, Gloss Black, or Gloss White*	Black Ash, Dark Cherry, Walnut Wood Veneer, Gloss Black, or Gloss White*	Black Ash, Dark Cherry, Walnut Wood Veneer, Gloss Black, or Gloss White*



\*Some finishes may not be available in all countries.

All specifications are subject to change without notice. Non-metric measurements are approximate. PSB Speakers will not assume any liability for errors in this brochure which may result in errors being made by retailers, custom installers, cabinet makers or other end users based on information contained in this document. PSB Speakers reserves the right to change specifications or features without notice. © 2011 PSB Speakers, a division of Lenbrook Industries Limited. PSB is a registered trademark of Lenbrook Industries Limited. All rights reserved. No part of this publication may be reproduced, stored or transmitted in any form whatsoever without the written permission of PSB Speakers. Printed July 2011.